ELSEVIER

Analytica Chimica Acta 538 (2005) 407–410

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author index

Abdulrahman, L.K.
—, Al-Abachi, A.M. and Al-Qaissy, M.H.
Flow injection-spectrophotometeric determination of some catecholamine drugs in pharmaceutical preparations via oxidative coupling reaction with *p*-toluidine and sodium periodate 331
Aboul-Enein, H.Y., see Ghanem, A. 15
Agarwal, S., see Gupta, V.K. 213
Al-Abachi, A.M., see Abdulrahman, L.K. 331
Al-Qaissy, M.H., see Abdulrahman, L.K. 331
Aoyagi, H.
—, Kitatsuji, Y., Yoshida, Z. and Kihara, S.
Rapid and quantitative electrolytic preparation and speciation of neptunium ions of various oxidation states using multi-step column electrodes 283

Ballarin, B.
—, Berrettoni, M., Carpani, I., Scavetta, E. and Tonelli, D.
Electrodes modified with an electrosynthesised Ni/Al hydrotalcite as amperometric sensors in flow systems 219
Barna-Vetró, I., see Lobeau, M. 57
Belmonte Vega, A.
—, Garrido Frenich, A. and Martínez Vidal, J.L.
Monitoring of pesticides in agricultural water and soil samples from Andalusia by liquid chromatography coupled to mass spectrometry 117
Benaïm, J.Y., see Garnier, C. 263
Berndt, H., see Bian, Q.Z. 323
Berrettoni, M., see Ballarin, B. 219
Bian, Q.Z.
—, Jacob, P., Berndt, H. and Niemax, K.
Online flow digestion of biological and environmental samples for inductively coupled plasma–optical emission spectroscopy (ICP–OES) 323
Blum, L.J., see Corgier, B.P. 1
Bolfarine, H., see de Castro, M. 375
Bonato, P.S., see de Oliveira, A.R.M. 25
Bonn, G.K., see Huck, C.W. 195
Burns, D.T., see Lewis, R. 399

Carpani, I., see Ballarin, B. 219
Centi, S.
—, Laschi, S., Fránek, M. and Mascini, M.
A disposable immunomagnetic electrochemical sensor based on functionalised magnetic beads and carbon-based screen-printed electrodes (SPCEs) for the detection of polychlorinated biphenyls (PCBs) 205
Chang, H.-T., see Lu, M.-J. 143
Chang, P.-L., see Lu, M.-J. 143
Chang, X., see Liu, Y. 85
Chen, B., see Luo, X. 129
Chiu, T.-C., see Lu, M.-J. 143

Chou, C.-C.
— and Lee, M.-R.
Solid phase microextraction with liquid chromatography–electrospray ionization–tandem mass spectrometry for analysis of amphetamine and methamphetamine in serum 49
Colina, M.
—, Gardiner, P.H.E., Rivas, Z. and Troncone, F.
Determination of vanadium species in sediment, mussel and fish muscle tissue samples by liquid chromatography–inductively coupled plasma-mass spectrometry 107
Corgier, B.P.
—, Marquette, C.A. and Blum, L.J.
Screen-printed electrode microarray for electrochemiluminescent measurements 1
Cuculić, V., see Garnier, C. 263

de Castilho, M.V., see de Castro, M. 375
de Castro, M.
—, Bolfarine, H., Galea-Rojas, M. and de Castilho, M.V.
An exact test for analytical bias detection 375
de la Guardia, M., see Moros, J. 181
de la Peña, A.M., see Ibañez, G.A. 77
de Oliveira, A.R.M.
—, de Santana, F.J.M. and Bonato, P.S.
Stereoselective determination of the major ibuprofen metabolites in human urine by off-line coupling solid-phase microextraction and high-performance liquid chromatography 25
de Oliveira, L.F.C., see M. Edwards, H.G. 175
De Saeger, S., see Lobeau, M. 57
de Santana, F.J.M., see de Oliveira, A.R.M. 25
Dwivedi, A.K., see Madan, J. 345

Escandar, G.M., see Ibañez, G.A. 77
Edwards, H.G.M.
—, Villar, S.E.J., de Oliveira, L.F.C. and Hyaric, M.L.
Analytical Raman spectroscopic study of *cacao* seeds and their chemical extracts 175

Fedotov, P.S.
—, Fitz, W.J., Wennrich, R., Morgenstern, P. and Wenzel, W.W.
Fractionation of arsenic in soil and sludge samples: continuous-flow extraction using rotating coiled columns versus batch sequential extraction 93
Feng, P., see Huang, C.Z. 337
Feng, Y.-L.
—, Zhu, J. and Sensenstein, R.
Development of a headspace solid-phase microextraction method combined with gas chromatography mass spectrometry for the determination of phthalate esters in cow milk 41
Fernández-Pachón, M.S., see Villaño, D. 391
Fitz, W.J., see Fedotov, P.S. 93
Fránek, M., see Centi, S. 205

doi:10.1016/S0003-2670(05)00635-5

Galea-Rojas, M., see de Castro, M. 375
Gao, X., see Wang, R.-Y. 151
García, J.F., see Tarancón, A. 233, 241
García-Parrilla, M.C., see Villaño, D. 391
Gardiner, P.H.E., see Colina, M. 107
Garnier, C.
—, Pižeta, I., Mounier, S., Cuculić, V. and Benaïm, J.Y.
An analysis of distinguishing composite dissolved metal–ligand systems measurable by stripping voltammetry 263
Garrido Frenich, A., see Belmonte Vega, A. 117
Garrigues, S., see Moros, J. 181
Gatti, R.
— and Gioia, M.G.
Liquid chromatographic determination with fluorescence detection of B_6 vitamers and riboflavin in milk and pharmaceuticals 135
Ghanem, A.
—, Hoenen, H., Müller, P. and Aboul-Enein, H.Y.
Enantiomeric separation of cyclopropane derivatives on a polysaccharide-based chiral stationary phase 15
Gholivand, M.B.
—, Niroomandi, P., Yari, A. and Joshagani, M.
Characterization of an optical copper sensor based on *N,N′*-bis(salycilidene)-1,2-phenylenediamine 225
Gioia, M.G., see Gatti, R. 135
Głąb, S., see Koncki, R. 257
Gu, H., see Lu, Q.-l. 291
Guggenbichler, W., see Huck, C.W. 195
Guo, Y., see Liu, Y. 85
Gupta, V.K.
—, Ludwig, R. and Agarwal, S.
Anion recognition through modified calixarenes: a highly selective sensor for monohydrogen phosphate 213

Hall, A.J.
—, Lanza-Sellergren, F., Manesiotis, P. and Sellergren, B.
Non-covalent imprinting of phosphorous esters 9
Han, X.
—, Zhuo, S., Wang, P., Tao, G. and Ji, A.
Calculation of the contributions of scattering effects to the X-ray fluorescent intensities for light matrix samples 297
Ho, H.-T., see Lu, M.-J. 143
Hoenen, H., see Ghanem, A. 15
Hu, Y.
—, Liu, J. and Li, W.
Resolution of overlapping spectra by curve-fitting 383
Huang, C.Z.
—, Feng, P., Li, Y.F., Tan, K.J. and Wang, H.Y.
Adsorption of penicillin–berberine ion associates at a water/tetrachloromethane interface and determination of penicillin based on total internal-reflected resonance light scattering measurements 337
Huang, H.-J., see Liao, K.-T. 159
Huang, R.-J.
—, Zhuang, Z.-X., Wang, Y.-R., Huang, Z.-Y., Wang, X.-R. and Lee, F.S.C.
An analytical study of bioaccumulation and the binding forms of mercury in rat body using thermolysis coupled with atomic absorption spectrometry 313
Huang, Z.-Y., see Huang, R.-J. 313
Huck, C.W.
—, Guggenbichler, W. and Bonn, G.K.
Analysis of caffeine, theobromine and theophylline in coffee by near infrared spectroscopy (NIRS) compared to high-performance liquid chromatography (HPLC) coupled to mass spectrometry 195
Huerta, V.D.
—, Sánchez, M.L.F. and Sanz-Medel, A.
Qualitative and quantitative speciation analysis of water soluble selenium in three edible wild mushrooms species by liquid chromatography using post-column isotope dilution ICP–MS 99
Hyaric, M.L., see M. Edwards, H.G. 175

Ibañez, G.A.
—, Escandar, G.M., Mansilla, A.E. and Peña, A.M. de la
Determination of triamterene in pharmaceutical formulations and of triamterene and its main metabolite hydroxytriamterene sulfate in urine using solid-phase and aqueous solution luminescence 77
Ibrahim, W.A.W., see Sanagi, M.M. 71
Iñón, F.A., see Moros, J. 181

Jacob, P., see Bian, Q.Z. 323
Ji, A., see Han, X. 297
Johnson, R., see Lewis, R. 399
Joshagani, M., see Gholivand, M.B. 225

Kerman, K., see Vestergaard, M. 273
Kihara, S., see Aoyagi, H. 283
Kitatsuji, Y., see Aoyagi, H. 283
Koncki, R., see Tymecki, L. 251
Koncki, R.
—, Ogończyk, D. and Głąb, S.
Potentiometric assay for acid and alkaline phosphatase 257

Lanza-Sellergren, F., see Hall, A.J. 9
Laschi, S., see Centi, S. 205
Lee, M.-R., see Chou, C.-C. 49
Lee, F.S.C., see Huang, R.-J. 313
Lewis, R.
—, Ward, S., Johnson, R. and Burns, D.T.
Distribution of the principal cannabinoids within bars of compressed cannabis resin 399
Li, W., see Hu, Y. 383
Li, X., see Zhou, F. 63
Li, Y.F., see Huang, C.Z. 337
Liao, K.-T.
— and Huang, H.-J.
Femtomolar immunoassay based on coupling gold nanoparticle enlargement with square wave stripping voltammetry 159
Liu, J., see Hu, Y. 383
Liu, J., see Luo, X. 129
Liu, Y.
—, Chang, X., Yang, D., Guo, Y. and Meng, S.
Highly selective determination of inorganic mercury(II) after preconcentration with Hg(II)-imprinted diazoaminobenzene–vinylpyridine copolymers 85
Lobeau, M.
—, De Saeger, S., Sibanda, L., Barna-Vetró, I. and Van Peteghem, C.
Development of a new clean-up tandem assay column for the detection of ochratoxin A in roasted coffee 57
Lu, M.-J.
—, Chiu, T.-C., Chang, P.-L., Ho, H.-T. and Chang, H.-T.
Determination of glycine, glutamine, glutamate, and γ-aminobutyric acid in cerebrospinal fluids by capillary electrophoresis with light-emitting diode-induced fluorescence detection 143
Lu, Q.-l.
—, Yang, G. and Gu, H.
Phase quantification of two chlorothalonil polymorphs by X-ray powder diffraction 291
Lu, Y.-T., see Wang, R.-Y. 151

Ludwig, R., see Gupta, V.K. 213
Luo, X.
—, Chen, B., Liu, J. and Yao, S.
Simultaneous analysis of *N*-nornuciferine, *O*-nornuciferine, nuciferine, and roemerine in leaves of *Nelumbo nucifera* Gaertn by high-performance liquid chromatography–photodiode array detection–electrospray mass spectrometry 129

Madan, J.
—, Dwivedi, A.K. and Singh, S.
Estimation of antitubercular drugs combination in pharmaceutical formulations using multivariate calibration 345
Malik, A., see Singh, K.P. 355
Manesiotis, P., see Hall, A.J. 9
Mansilla, A.E., see Ibañez, G.A. 77
Marquette, C.A., see Corgier, B.P. 1
Martínez Vidal, J.L., see Belmonte Vega, A. 117
Mascini, M., see Centi, S. 205
Mazur, M.
—, Moncol, J., Valko, M. and Morris, H.
Analysis of the longitudinal, "sloping plateau" effect of a planar sample in a single TE_{102} rectangular electron paramagnetic resonance cavity 165
Meng, S., see Liu, Y. 85
Moncol, J., see Mazur, M. 165
Morgenstern, P., see Fedotov, P.S. 93
Moros, J.
—, Iñón, F.A., Garrigues, S. and de la Guardia, M.
Determination of the energetic value of fruit and milk-based beverages through partial-least-squares attenuated total reflectance-Fourier transform infrared spectrometry 181
Morris, H., see Mazur, M. 165
Mounier, S., see Garnier, C. 263
Müller, P., see Ghanem, A. 15

Naim, A.A., see Sanagi, M.M. 71
Niemax, K., see Bian, Q.Z. 323
Niroomandi, P., see Gholivand, M.B. 225

Ogończyk, D., see Koncki, R. 257
Oliferova, L.
—, Statkus, M., Tsysin, G., Shpigun, O. and Zolotov, Y.
On-line solid-phase extraction and HPLC determination of polycyclic aromatic hydrocarbons in water using fluorocarbon polymer sorbents 35
Ondov, J.M., see Pancras, J.P. 303

Padró, A., see Tarancón, A. 241
Pancras, J.P.
—, Ondov, J.M. and Zeisler, R.
Multi-element electrothermal AAS determination of 11 marker elements in fine ambient aerosol slurry samples collected with SEAS-II 303
Pižeta, I., see Garnier, C. 263

Rauret, G., see Tarancón, A. 233, 241
Rivas, Z., see Colina, M. 107

Sanagi, M.M.
—, See, H.H., Ibrahim, W.A.W. and Naim, A.A.
Determination of carotene, tocopherols and tocotrienols in residue oil from palm pressed fiber using pressurized liquid extraction-normal phase liquid chromatography 71
Sánchez, M.L.F., see Huerta, V.D. 99
Sanz-Medel, A., see Huerta, V.D. 99
Scavetta, E., see Ballarin, B. 219
See, H.H., see Sanagi, M.M. 71
Sellergren, B., see Hall, A.J. 9
Sensenstein, R., see Feng, Y.-L. 41
Shpigun, O., see Oliferova, L. 35
Sibanda, L., see Lobeau, M. 57
Singh, K.P.
—, Malik, A. and Sinha, S.
Water quality assessment and apportionment of pollution sources of Gomti river (India) using multivariate statistical techniques—a case study 355
Singh, S., see Madan, J. 345
Sinha, S., see Singh, K.P. 355
Statkus, M., see Oliferova, L. 35

Tamiya, E., see Vestergaard, M. 273
Tan, K.J., see Huang, C.Z. 337
Tao, G., see Han, X. 297
Tarancón, A.
—, García, J.F. and Rauret, G.
Development of a radiochemical sensor. Part I: Feasibility study 233
Tarancón, A.
—, Padró, A., García, J.F. and Rauret, G.
Development of a radiochemical sensor, Part 2: Application to liquid effluents 241
Tonelli, D., see Ballarin, B. 219
Troncone, F., see Colina, M. 107
Troncoso, A.M., see Villaño, D. 391
Tsysin, G., see Oliferova, L. 35
Tymecki, Ł.
—, Zwierkowska, E. and Koncki, R.
Strip bioelectrochemical cell for potentiometric measurements fabricated by screen-printing 251

Valko, M., see Mazur, M. 165
Van Peteghem, C., see Lobeau, M. 57
Vestergaard, M.
—, Kerman, K. and Tamiya, E.
An electrochemical approach for detecting copper-chelating properties of flavonoids using disposable pencil graphite electrodes: Possible implications in copper-mediated illnesses 273
Villaño, D.
—, Fernández-Pachón, M.S., Troncoso, A.M. and García-Parrilla, M.C.
Comparison of antioxidant activity of wine phenolic compounds and metabolites in vitro 391
Villar, S.E.J., see M. Edwards, H.G. 175

Wang, H.Y., see Huang, C.Z. 337
Wang, P., see Han, X. 297
Wang, R.-Y.
—, Gao, X. and Lu, Y.-T.
A surfactant enhanced stopped-flow kinetic fluorimetric method for the determination of trace DNA 151
Wang, X.-R., see Huang, R.-J. 313
Wang, Y.-R., see Huang, R.-J. 313
Ward, S., see Lewis, R. 399
Wennrich, R., see Fedotov, P.S. 93
Wenzel, W.W., see Fedotov, P.S. 93

Yang, D., see Liu, Y. 85
Yang, G., see Lu, Q.-l. 291
Yao, S., see Luo, X. 129
Yari, A., see Gholivand, M.B. 225
Yoshida, Z., see Aoyagi, H. 283

Zeisler, R., see Pancras, J.P. 303
Zeng, Z., see Zhou, F. 63

Zhou, F.
—, Li, X. and Zeng, Z.
Determination of phenolic compounds in wastewater samples using a novel fiber by solid-phase microextraction coupled to gas chromatography 63
Zhu, J., see Feng, Y.-L. 41
Zhuang, Z.-X., see Huang, R.-J. 313
Zhuo, S., see Han, X. 297
Zolotov, Y., see Oliferova, L. 35
Zwierkowska, E., see Tymecki, L. 251